



**FULLY AUTOMATIC ELECTRONIC  
HIGH SPEED NON-WOVEN BAG  
MAKING MACHINE WITH SERVO  
MOTOR CONTROL**



**AUTOMATIC ELECTRONIC  
HIGH SPEED SIDE SEALING  
MACHINE WITH SERVO  
MOTOR CONTROL**



CE

**僑偉塑膠機械有限公司**  
**CHAO WEI PLASTIC MACHINERY CO., LTD.**



ISO-9001 FM40584



公司: 嘉義縣水上鄉大堀村大堀尾1-12號  
NO. 1-12, TA CHUEH WEI, TA CHUEH TSUN, SUEI  
SANG HSIANG, CHIA YI HSIEN, TAIWAN  
TEL: +886-5-268 6688 . 268 6677  
FAX: +886-5-268 2288 . 268 7821  
E-mail: chao.wei@msa.hinet.net  
<http://www.chaowei.com.tw>

# FULLY AUTOMATIC ELECTRONIC HIGH SPEED NON-WOVEN BAG MAKING MACHINE WITH SERVO MOTOR CONTROL




- Multi-function double side folding, can produce T-shirt bags, Banana punch bags, Rope bags and Shopping bags.

- Specialized in non woven bag, it's environment friendly product which can be re used repeatedly



- In line triangle folding device and Ultrasonic Embossing device to weld the bag smoothly and strongly.

**Model : CW-600NW-SV**



**SPECIFICATION: 規 格**

型 式	MODEL	CW-600NW-SV	CW-800NW-SV
原 料 寬 度	FILM WIDTH (mm)	1200	1600
切 袋 寬	BAGS WIDTH (mm)	100 - 550	100 - 750
切 袋 長	BAGS LENGTH (mm)	100 - 800	100 - 800
封 切 厚 度	CONVERTING THICKNESS (g)	40 - 120	40 - 120
封 切 速 度	P.C.S. /MIN	10 - 50	10 - 50
超 音 波 壓 紋 長 度	ULTRASONIC EMBOSSING (mm)	550	750
電 熱	HEATER (kw)	4.3	5.3
全 台 備 電	POWER REQUIRED (kw)	8.8	9.8
機 械 尺 寸	DIMENSION L×W×H (cm)	880×150×180	880×170×180
機 械 重 量	MACHINE WEIGHT (kg)	2300	2500
裝 箱 重	GROSS WEIGHT (kg)	2650	2800
裝 箱 尺 寸	PACKING SIZE	1×20"	1×20"

● All specifications, design and characteristics shown above are subject to change without notice.

# AUTOMATIC ELECTRONIC HIGH SPEED SIDE SEALING MACHINE WITH SERVO MOTOR CONTROL


Model : CWSS-SV



CWSS machine can cutting and sealing many kinds of appearance for bags as following.

## OPTIONAL EQUIPMENT:

- Air punching hole equipment
- Conveyor device
- Center slitting knife
- Gusset equipment
- Self-adhesive tape equipment
- Chicken bag device
- Triangle folding device



## SPECIFICATION: 規格

型 式	MODEL	CWSS - 2030	CWSS - 2830	CWSS - 3230	CWSS - 4030
切 袋 寬 BAGS WIDTH (mm)		3" ~ 30"	3" ~ 30"	3" ~ 30"	3" ~ 30"
		76 ~ 760	76 ~ 760	76 ~ 760	76 ~ 760
切 袋 長 BAGS LENGTH (mm)		3" ~ 18"	3" ~ 26"	3" ~ 30"	3" ~ 38"
		76 ~ 450	76 ~ 660	76 ~ 760	76 ~ 965
封 切 厚 度 CONVERTING THICKNESS (mm)		0.01~0.1	0.01~0.1	0.01~0.1	0.01~0.1
封 切 速 度 P.C.S./MIN		60 ~ 160	60 ~ 160	60 ~ 160	60 ~ 160
動 力 MOTOR (HP)		1	1	2	2
電 熱 HEATER (kw)		1.5	2	2.2	2.5
全 台 備 電 POWER REQUIRED (kw)		3	4	4.2	4.5
機 械 尺 寸 DIMENSION L×W×H (cm)		282×113×189	282×133×189	282×143×189	300×162×189
機 械 重 量 MACHINE WEIGHT (kg)		550	700	800	950
裝 箱 尺 寸 PACKING L×W×H (cm)		295×125×209	295×145×209	295×155×209	310×188×209
裝 箱 重 GROSS WEIGHT (kg)		850	1000	1100	1450

● All specifications, design and characteristics shown above are subject to change without notice.