



# FULLY AUTOMATIC ELECTRONIC HIGH SPEED PERFORATING BAGS ON ROLL MACHINE



ISO-9001



CHAO WEI PLASTIC MACHINERY CO., LTD.

# **AUTOMATIC ELECTRONIC HIGH SPEED PERFORATING BAG MAKING MACHINE**

**CWAP**




PATENT NO: 94605



## **OPTIONAL EQUIPMENT:**

1. BOTTOM SEALING BAG MAKING DEVICE.
2. LAUNDRY BAG MAKING DEVICE.
3. STAR-SEALING BAGS ON ROLL MAKING DEVICE.
4. PRINTING PHOTO CELL DEVICE.
5. SERVO MOTOR CONTROL.
6. CORELESS BAGS ON ROLL DEVICE.

# **FULLY AUTOMATIC ELECTRONIC HIGH SPEED PERFORATING CORELESS BAG ON ROLL + AUTOMATIC CHANGING ROLLS DEVICE.**



# FULLY AUTOMATIC ELECTRONIC HIGH SPEED PERFORATING SERIES T SHIRT BAGS MAKING MACHINE.


## OPTIONAL EQUIPMENT:

1. CORELESS BAGS ON ROLL DEVICE.
2. SERVO MOTOR CONTROL
3. DIFFERENT SIZE MOULD DEVICE.
4. BOTTOM SEALING BAG ON ROLL

CWAP+P



PATENT NO:117552



## OPTIONAL EQUIPMENT:

1. SERVO MOTOR CONTROL
2. STAR-SEALING BAGS ON ROLL MAKING DEVICE.

## FEATURES:

1. ADOPTING AUTOMATIC CHANGING CORELESS ROLLS DEVICE.
2. THE FOLDING DEVICE FOR C TYPE & E TYPE BAGS, THERE IS NO GAP IN THE GUSSET POINT.
3. C & E TYPE BAGS CAN SAVE OCCUPATION SPACE.
4. THIS MACHINE CAN PRODUCE TABLE SHEET, GARBAGE BAG, C TYPE BAG AND E TYPE BAG.
5. THIS MACHINE CAN SAVE LABORS, TIME AND IS PROFITABLE IN MASS PRODUCTION.

CWAP+C




PATENT NO: 136043

C type bag  
perforating

E type bag  
perforating

Garbage bag  
perforating

Table Cover  
perforating



**SPECIFICATION: 規 格**

型 號 MODEL	切袋寬 BAGS WIDTH (max.)	切袋長 BAGS LENGTH (max.)	封切厚度 CONVERTING THICKNESS (mm)	封切速度 P.C.S./MIN	動力 MOTOR /HP	電熱 HEATER (KW)	全台備電 POWER REQUIRED	機械尺寸 DIMENSION L×W×H (cm)	機械重量 MACHINE WEIGHT (kg)	裝箱尺寸 PACKING L×W×H (cm)	裝箱重量 GROSS WEIGHT (kg)	特 點 FEATURE
CWAP+C-2030	450 m/m	760m/m	0.010 ~ 0.10	30 ~ 100	2	1.8	3.5	580×120×190	1200	250×122×166 228×130×210	1600	
	18"	30"										
CWAP+C-2842	660 m/m	1066m/m	0.010 ~ 0.10	30 ~ 100	3	2.5	4.3	580×120×190	1300	270×146×170 228×136×210	1700	
	26"	42"										
CWAP+C-3248	760 m/m	1200m/m	0.010 ~ 0.10	30 ~ 100	3	3.1	5.6	600×138×190	1400	270×157×170 228×146×210	1800	
	30"	48"										
CWAP+C-4060	965 m/m	1520m/m	0.010 ~ 0.10	30 ~ 100	3	4.5	6.3	600×148×190	1500	270×165×170 228×156×210	1900	
	38"	60"										
CWAP+C-4672	1110 m/m	1800m/m	0.010 ~ 0.10	30 ~ 100	3	5.2	7.2	600×156×190	1600	280×185×170 228×174×210	2000	
	44"	72"										
CWAAP-2830	11"×2	760m/m	0.008 ~ 0.12	30 ~ 120	2	2.3	4.2	400×146×150	700	315×158×160	1000	2 photo cells 2 lines
	279m/m×2	30"										
CWAAP-3230	13"×2	760m/m	0.008 ~ 0.12	30 ~ 120	2	2.8	5.5	400×156×150	800	315×168×160	1100	2 photo cells 2 lines
	330m/m×2	30"										
CWAAP-4030	17"×2	760m/m	0.008 ~ 0.12	30 ~ 120	2	3.1	6.8	400×166×150	900	315×178×165	1200	2 photo cells 2 lines
	430m/m×2	30"										
CWAP-2030	406 m/m	760m/m	0.008 ~ 0.12	30 ~ 120	1	1.5	2.4	400×115×146	600	270×122×166	800	1 photo cell 1 line
	16"	30"										
CWAP-2830	23"×1	560m/m × 1	0.008 ~ 0.12	30 ~ 120	1	2.1	3.1	400×135×146	700	270×146×170	1000	1 photo cell 2 lines
	11"×2	279m/m × 2										
CWAP-3230	27"×1	680m/m × 1	0.008 ~ 0.12	30 ~ 120	2	2.5	4.4	400×145×146	800	270×157×170	1100	1 photo cell 2 lines
	13"×2	330m/m × 2										
CWAP-4030	35"×1	890m/m × 1	0.008 ~ 0.12	30 ~ 120	2	2.9	4.8	400×150×146	900	270×170×165	1200	1 photo cell 2 lines
	17"×2	430m/m × 2										
CWAP+P-500	406 m/m	760m/m	0.008 ~ 0.10	30 ~ 100	2	1.5	3.5	400×115×182	900	390×150×150	1200	
	16"	30"										

- All specifications, design and characteristics shown above are subject to change without notice.
- Bag length can be inquiry by special case from the customer.
- Accuracy length : ± 1 mm



ISO-9001 FM40584

**僑偉塑膠機械有限公司  
CHAO WEI PLASTIC MACHINERY CO., LTD.**

公 司: 嘉義縣水上鄉大堀村大堀尾1-12號  
NO. 1-12, TA CHUEH WEI, TA CHUEH TSUN, SUEI  
SANG HSIANG, CHIA YI HSIEN, 60842 TAIWAN.

TEL: 886-5-2686688 . 2686677

FAX: 886-5-2682288 . 2687821

E-mail: chao.wei@msa.hinet.net

http://www.chaowei.com.tw

Free Machinery CD-Roms are available upon request